

Message

---

**From:** Atkinson, Cheryl [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=187C60BA04274FB28F652AE8582ABC56-CATKINSO]  
**Sent:** 10/21/2019 2:12:59 PM  
**To:** Whitehurst, David [david.whitehurst@deq.virginia.gov]  
**Subject:** RE: EPA approval package  
**Attachments:** EPA Approval Package.pdf

Here is our approval letter. Thank you for all your work on this.

*Cheryl Atkinson*  
215 814 3392

**From:** Whitehurst, David <david.whitehurst@deq.virginia.gov>  
**Sent:** Thursday, August 15, 2019 1:28 PM  
**To:** Atkinson, Cheryl <Atkinson.Cheryl@epa.gov>  
**Cc:** Robertson Tish msf11012 <tish.robertson@deq.virginia.gov>; Kennedy John ika95442 <john.kennedy@deq.virginia.gov>  
**Subject:** Re: EPA approval package

Cheryl...I am happy to report that the approval package for the bacteria, cadmium, and human health amendments is in the mail!!! I've also attached it to this email. As a note: you'll be receiving 3 copies as old habits die hard...and our Water Planning Division Director, Jutta Schneider requested I send to Catherine Libertz, Water Division Director EPA R3.

FYI - Ammonia amendments still at Gov's Office for their final review (Day 113) and the same with James R. chlorophyll amendments (Day 18).

On Thu, Jul 25, 2019 at 1:51 PM Atkinson, Cheryl <Atkinson.Cheryl@epa.gov> wrote:

YEAH!!!

You can just send 2 hard copies one to me and one to the RA. But can you send the copy to me electronically or is it to big?

**From:** Whitehurst, David <david.whitehurst@deq.virginia.gov>  
**Sent:** Thursday, July 25, 2019 12:34 PM  
**To:** Atkinson, Cheryl <Atkinson.Cheryl@epa.gov>  
**Subject:** EPA approval package

Hi Cheryl...I'm pulling together the package RE: bacteria, cadmium, human health criteria amendments that were adopted and need you to refresh my memory as far as how many copies to send. I send one to Administrator Servidio and 3 copies to you, correct? The 30-day comment period was up yesterday and shortly after we receive 'duly adopted' certification from our AG the package will be mailed. Thanks!

--  
David C. Whitehurst, Water Quality Standards Coordinator  
Dept. Environmental Quality  
1111 East Main Street, Suite 1400  
PO Box 1105  
Richmond, VA 23218  
Phone - 804-698-4121  
Fax - 804-698-4032  
email - [David.Whitehurst@deq.virginia.gov](mailto:David.Whitehurst@deq.virginia.gov)

--  
David C. Whitehurst, Water Quality Standards Coordinator  
Dept. Environmental Quality  
1111 East Main Street, Suite 1400  
PO Box 1105  
Richmond, VA 23218  
Phone - 804-698-4121  
Fax - 804-698-4032  
email - [David.Whitehurst@deq.virginia.gov](mailto:David.Whitehurst@deq.virginia.gov)